

Contents Volume 26

Vol. 26, Nos. 1&2 (March 1992)

| | |
|---|-----|
| M. Halmann, A.J. Hunt and D. Spath | |
| Photodegradation of dichloromethane, tetrachloroethylene and 1,2-dibromo-3-chloropropane in aqueous suspensions of TiO ₂ with natural, concentrated and simulated sunlight | 1 |
| W. Luft, B. Stafford, B. von Roedern and R. DeBlasio | |
| Prospects for amorphous silicon photovoltaics | 17 |
| R. Kishore, S.N. Singh and B.K. Das | |
| PECVD grown silicon nitride AR coatings on polycrystalline silicon solar cells | 27 |
| T. Emeraud, P. Zanin, S. Noureddine and J.P. David | |
| A new on-sun high-concentration solar cell test equipment | 37 |
| M. Egido and E. Lorenzo | |
| The sizing of stand alone PV-systems: a review and a proposed new method | 51 |
| P. Verlinden, O. Evrard, E. Mazy and A. Crahay | |
| The surface texturization of solar cells: A new method using V-grooves with controllable sidewall angles | 71 |
| J.R. Bates and P.H. Fang | |
| Results of solar cell performance on lunar base derived from Apollo missions | 79 |
| Y. Takeda, A. Wakahara and A. Sasaki | |
| Calculation of photovoltaic characteristics and materials selection for low-band-gap cells of multi-structure solar cell system | 85 |
| Y. Takeda, M. Wakai, T. Ikeoku and A. Sasaki | |
| InAlAs/InGaAs low-band-gap cell on InP for high efficiency multi-structure solar cell system | 99 |
| Z. Crnjak Orel, B. Orel and M. Klanjšek Gunde | |
| Spectrally selective SnO ₂ :F film on glass and black enamelled steel substrates: spray pyrolytical deposition and optical properties | 105 |
| O. Savadogo and K.C. Mandal | |
| Studies on new chemically deposited photoconducting antimony trisulphide thin films | 117 |
| A. De, S. Ghosh and S. Ray | |
| Boron doped hydrogenated amorphous silicon films prepared by photo-CVD | 137 |

| | | |
|---|--|-----|
| S.R. Kumar, R.B. Gore and R.K. Pandey | | |
| Preparation and properties of a Cu-In alloy precursor for CuInSe ₂ films | | 149 |
| G. Micocci, A. Tepore, R. Rella and P. Siciliano | | |
| Electrical properties of indium selenide single crystals doped with tin | | 159 |

Vol. 26, No. 3 (April 1992)

| | | |
|---|--|-----|
| S.K. Sharma, D. Pavithra, G. Sivakumar, N. Srinivasamurthy and B.L. Agrawal | | |
| Determination of solar cell diffusion capacitance and its dependence on temperature and 1 MeV electron fluence level | | 169 |
| A. Mondal, B.E. McCandless and R.W. Birkmire | | |
| Electrochemical deposition of thin ZnTe films as a contact for CdTe solar cells | | 181 |
| E.G. Moreno, E. Demesmaeker, M. Ghannam and J. Nijs | | |
| Analysis of silicon solar cell degradation in space using PC-1D | | 189 |
| P.A. Davies, J.C. Miñano, A. Luque, F. López and J.M. Ruiz | | |
| Calculations of efficiencies achievable using gallium arsenide and silicon cells mounted together in cavities illuminated by single-stage concentration | | 203 |
| G.C. Morris and R. Vanderveen | | |
| Electrodeposited cadmium zinc sulphide films for solar cells | | 217 |
| Y. Ueno, Y. Hattori, M. Ito, T. Sugiura and H. Minoura | | |
| Synthesis and photoelectrochemical characterization of (Ag ₂ S) _x (In ₂ S ₃) _{1-x} and AgInS _{2-y} Se _y | | 229 |
| S.R. Dhariwal and B.M. Deoraj | | |
| Effect of carrier transport on surface photovoltage in thin semiconductor films | | 243 |
| M.T. Gutiérrez, J. Cáarabe, J.J. Gandía and A. Solonko | | |
| Effect of preparation conditions on the properties of glow-discharge intrinsic amorphous silicon | | 259 |

Vol. 26, No. 4 (May 1992)

| | | |
|--|--|-----|
| S.-S. Lian, R. Kammel and M.J. Kheiri | | |
| Preliminary study of hydrometallurgical refining of MG-silicon with attrition grinding | | 269 |
| G. Smestad, M. Kunst and C. Vial | | |
| Photovoltaic response in electrochemically prepared photoluminescent porous silicon | | 277 |
| R.K. Pandey, G. Razzini and L.P. Bicelli | | |
| A comparative study of the morphological and compositional trends in CdTe films galvanostatically deposited from an ethylene glycol based bath | | 285 |

| | |
|--|-----|
| M. León, R. Díaz, F. Rueda and M. Berghol | |
| A comparative study of optical, electrical and structural properties of CuGaSe ₂ and CuGaTe ₂ thin films | 295 |
| M.A. Martínez, J. Herrero and M.T. Gutiérrez | |
| Post-deposition annealing effects in RF reactive magnetron sputtered indium tin oxide thin films | 309 |
| T. Maruyama and S. Arai | |
| Titanium dioxide thin films prepared by chemical vapor deposition | 323 |
| M. Lipinski and T. Zdanowicz | |
| Optimization of the optical parameters of TiO _x antireflection layers deposited by a spin-on technique | 331 |
| B.C. Chakravarty, B.K. Das, N.K. Arora, P.K. Basu and J.S. Vaishya | |
| Degradation of solar cells made of upgraded metallurgical grade silicon | 339 |
| G. Willeke, H. Nussbaumer, H. Bender and E. Bucher | |
| A simple and effective light trapping technique for polycrystalline silicon solar cells | 345 |
| T. Walter, A. Content, K.O. Velthaus and H.W. Schock | |
| Solar cells based on CuIn(Se, S) ₂ | 357 |
| Author Index | 369 |
| Contents Volume 26 | 373 |

